

Carnegie Mellon SCHOOL OF COMPUTER SCIENCE

Design and Implementation of Speech Recognition Systems

Spring 2012

Class 10: HMMs 22 Feb 2012

Recap: Generalized Templates



- A set of "states"
 - A distance function associated with each state
- A set of transitions
 - Transition-specific penalties

Recap: HMMs



- Identical to generalized templates in principle
- "Distance" functions at states replaced by "probability distribution function" for state
- Transition "penalties" replaced by transition probabilities
- Maximize probability of observation
 - Instead of minimizing cost
- The entire structure may be viewed as *one* generalization of the DTW models we have discussed thus far

The HMM Process

- The HMM models the process underlying the observations as going through a number of states
 - E.g., to produce the sound "W", it first goes through a state where it produces the sound "UH", then goes into a state where it transitions from "UH" to "AH", and finally to a state where it produced "AH"



- The true underlying process is the vocal tract here
 - Which roughly goes from the configuration for "UH" to the configuration for "AH"

HMMs are abstractions

- The states are not directly observed
 - Here states of the process are analogous to configurations of the vocal tract that produces the signal
 - We only hear the speech; we do not see the vocal tract
 - i.e. the states are *hidden*
- The interpretation of states is not always obvious
 - The vocal tract actually goes through a *continuum* of configurations
 - The model represents all of these using only a fixed number of states
- The model *abstracts* the process that generates the data
 - The system goes through a finite number of states
 - When in any state it can either remain at that state, or go to another with some probability
 - When at any states it generates observations according to a distribution associated with that state

Hidden Markov Models



- A Hidden Markov Model consists of two components
 - A state/transition backbone that specifies how many states there are, and how they can follow one another
 - A set of probability distributions, one for each state, which specifies the distribution of all vectors in that state



- This can be factored into two separate probabilistic entities
 - A probabilistic Markov chain with states and transitions
 - A set of data probability distributions, associated with the states

Equivalence to DTW templates

- HMM inference equivalent to DTW modified to use a *probabilistic* function, for the local node or edge "costs" in the trellis
 - Edges have transition probabilities
 - Nodes have *output* or *observation probabilities*
 - They provide the probability of the observed input
 - The output probability may be a Gaussian
 - Goal is to find the template with highest probability of matching the input
- Probability values associated with transitions and edges are called *likelihoods*

Likelihoods and Cost: Transition



- Transitions in the HMM have associated probabilities
 P₁₁, P₁₂ etc
- They can be converted to "scores" through a logarithm
 T₁₁ = log(P₁₁)
- Or to "costs" through a negative logarithm

 $- T_{11} = -\log(P_{11})$

Likelihoods and Cost: Nodes



Data distributions

- States in the HMM have probability distributions associated with them
 - E.g Gaussians
 - Whose means and variances have been obtained from the segments associated with the node
- Nodes in the *trellis* have a probabilities associated with them
 - $P_i(O)$
 - *i* is the "state" / template node
 - O is the observation associated with any node in the trellis
- Node probabilities may be converted to:
 - Scores: $N_i(O) = log(P_i(O))$
 - Or Costs: $N_i(O) = -\log(P_i(O))$

Log Likelihoods



- Use probabilities or likelihoods instead of cost
 - Scores combines multiplicatively along a path
 - Path Score = $P_1(O_1) . P_{11} . P_1(O_2) . P_{12} . P_2(O_3) . P_{22} . P_2(O_4) . P_{23} . P_3(O_5) . P_{23}$

Alternately use log probabilities as scores: $N_i(O) = \log(P_i(O)), T_{11} = \log(P_{11})$

- Scores add as in DTW
- Path Score = $N_1(O_1) + T_{11} + N_1(O_2) + T_{12} + N_2(O_3) + T_{22} + N_2(O_4) + T_{23} + N_3(O_5) + T_{23}$
 - Replace all "Min" operations in DTW by "Max"
- Alternately use *negative* log probabilities as cost: $N_i(O) = \log(P_i(O)), T_{11} = -\log(P_{11})$
 - Cost adds as in DTW
 - Computation remains identical to DTW (with edge costs factored in)

HMM as a statistical model

- An HMM is a statistical model for a time-varying process
- The process is always in one of a countable number of
- When the process visits in any state, it generates an observation by a random draw from a distribution associated with that state
- The process constantly moves from state to state. The probability that the process will move to any state is determined solely by the current state
 - i.e. the dynamics of the process are Markovian
- The entire model represents a probability distribution over the sequence of observations
 - It has a specific probability of generating any particular sequence
 - The probabilities of all possible observation sequences sums to 1

How an HMM models a process



HMM Parameters

- The *topology* of the HMM
 - No. of states and allowed transitions
 - E.g. here we have 3 states and cannot go from the blue state to the red
- The transition probabilities
 - Often represented as a matrix as here
 - T_{ij} is the probability that when in state i, the process will move to j
- The probability of being at a particular state at the first instant
- The state output distributions



HMM state output distributions

- The state output distribution represents the distribution of data produced from any state
- In the previous lecture we assume the state output distribution to be Gaussian
 - Albeit largely in a DTW context

$$P(v) = Gaussian(v; m, C) = \frac{1}{\sqrt{2\pi |C|}} e^{-0.5(v-m)^T C^{-1}(v-m)}$$

- In reality, the distribution of vectors for any state need not be Gaussian
 - In the most general case it can be arbitrarily complex
 - The Gaussian is only a coarse representation of this distribution
- If we model the output distributions of states better, we can expect the model to be a better representation of the data

Node Score: The Gaussian Distribution

- What does a Gaussian distribution look like?
- For a single (scalar) variable, it is a bell-shaped curve representing the density of data around the mean
- Example:



Four different scalar Gaussian distributions, with different means and variances

The mean is represented by μ , and variance by σ^2

 $\mu\, {\rm and}\,\, \sigma\, {\rm are}$ the *parameters* of the Gaussian distribution

(Taken from Wikipedia)

The Scalar Gaussian Function

• The Gaussian density function (the bell curve) is:

$$p(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{\sum_{i=1}^{1} \frac{1}{2\sigma^{2}}(x-\mu)^{2}}$$

- p(x) is the density function of the variable *x*, with mean μ and variance σ^2
- The attraction of the Gaussian function (regardless of how appropriate it is!) comes from how easily the mean and variance can be estimated from *sample data* $x_1, x_2, x_3 \dots x_N$

$$-\mu = \sum_i x_i / N$$

$$-\sigma^2 = \sum_i (x_i - \mu)^2 / N = \sum_i (x_i^2 - \mu^2) / N$$

The 2-D Gaussian Distribution

- Speech data are not scalar values, but vectors!
- Needs multi-variate (multi-dimensional) Gaussians
- Figure: A Gaussian for 2-D data
 - Shown as a 3-D plot



• Distributions for higher dimensions are tough to visualize!

The Multidimensional Gaussian Distribution



- Instead of variance, the multidimensional Gaussian has a *covariance matrix*
- The multi-dimensional Gaussian distribution of a vector variable x with mean μ and covariance Σ is given by:

$$f(x) = (2\pi)^{-N/2} \det(\Sigma)^{-1/2} \exp\left(-\frac{1}{2}(x-\mu)^T \Sigma^{-1}(x-\mu)\right)$$

- where *N* is the vector dimensionality, and *det* is the determinant function
- The complexity in a full multi-dimensional Gaussian distribution comes from the covariance matrix, which accounts for *dependencies* between the dimensions

The Diagonal Covariance Matrix



- In speech recognition, we frequently assume that the feature vector dimensions are all *independent* of each other
- *Result*: The covariance matrix is reduced to a diagonal form
 - The exponential term becomes, simply:

 $(\Sigma_i (x_i - \mu_i)^2 / \sigma_i^2)/2$, *i* going over all vector dimensions

- The determinant of the diagonal Σ matrix is easy to compute
- Further, each σ_i^2 (the *i*-th digonal element in the covariance matrix) is easily estimated from x_i and μ_i like a scalar

Gaussian Mixtures

• A Gaussian Mixture is literally a mixture of Gaussians. It is a weighted combination of several Gaussian distributions

$$P(v) = \sum_{i=0}^{K-1} w_i Gaussian(v; \mu_i, C_i)$$

- v is any data vector. P(v) is the probability given to that vector by the Gaussian mixture
- K is the number of Gaussians being mixed
- w_i is the mixture weight of the ith Gaussian. μ_i is its mean and C_i is its covariance
- The Gaussian mixture distribution is also a distribution
 - It is positive everywhere.
 - The total volume under a Gaussian mixture is 1.0.
 - Constraint: the mixture weights w_i must all be positive and sum to 1

Gaussian Mixtures

- A Gaussian mixture can represent data distributions far better than a simple Gaussian
- The two panels show the histogram of an unknown random variable
- The first panel shows how it is modeled by a simple Gaussian
- The second panel models the histogram by a mixture of two Gaussians
- Caveat: It is hard to know the optimal number of Gaussians in a mixture distribution for any random variable





Generating an observation from a Gaussian mixture state distribution



HMMs with Gaussian mixture state distributions

- The parameters of an HMM with Gaussian mixture state distributions are:
 - π the set of initial state probabilities for all states
 - -T the matrix of transition probabilities
 - A Gaussian mixture distribution for every state in the HMM. The Gaussian mixture for the *i*th state is characterized by
 - K_i , the number of Gaussians in the mixture for the ith state
 - The set of mixture weights $W_{i,j} = 0 < j < K_i$
 - The set of Gaussian means $\mu_{i,j}$ $0 < j < K_i$
 - The set of Covariance matrices $C_{i,j} 0 < j < K_i$

Three Basic HMM Problems

- Given an HMM:
 - What is the probability that it will generate a specific observation sequence
 - Given a observation sequence, how do we determine which observation was generated from which state
 - The state segmentation problem
 - How do we *learn* the parameters of the HMM from observation sequences

Computing the Probability of an Observation Sequence

- Two aspects to producing the observation:
 - Progressing through a sequence of states
 - Producing observations from these states

Progressing through states



- The process begins at some state (red) here
- From that state, it makes an allowed transition
 To arrive at the same or any other state
- From that state it makes another allowed transition
 - And so on

Probability that the HMM will follow a particular state sequence

$$P(s_1, s_2, s_3, ...) = P(s_1)P(s_2|s_1)P(s_3|s_2)...$$

- $P(s_1)$ is the probability that the process will initially be in state s_1
- $P(s_i / s_j)$ is the transition probability of moving to state s_i at the next time instant when the system is currently in s_i
 - Also denoted by P_{ij} earlier
 - Related to edge scores in DTW as $T_{ij} = -\log(P(s_i / s_j))$

Generating Observations from States



• At each time it generates an observation from the state it is in at that time

Probability that the HMM will generate a particular observation sequence given a state sequence (state sequence known)

$$P(o_1, o_2, o_3, \dots | s_1, s_2, s_3, \dots) = P(o_1 | s_1) P(o_2 | s_2) P(o_3 | s_3) \dots$$

Computed from the Gaussian or Gaussian mixture for state s₁

- $P(o_i / s_i)$ is the probability of generating observation o_i when the system is in state s_i
 - Related to node scores in DTW trellis as: $N_i(O) = -\log(P(o_i / s_i))$

Progressing through States and Producing Observations



• At each time it produces an observation and makes a transition

Probability that the HMM will generate a particular state sequence and, from it, generate a particular observation sequence

$$P(o_{1}, o_{2}, o_{3}, \dots, s_{1}, s_{2}, s_{3}, \dots) =$$

$$P(o_{1}, o_{2}, o_{3}, \dots | s_{1}, s_{2}, s_{3}, \dots) P(s_{1}, s_{2}, s_{3}, \dots) =$$

$$P(o_{1}|s_{1}) P(o_{2}|s_{2}) P(o_{3}|s_{3}) \dots P(s_{1}) P(s_{2}|s_{1}) P(s_{3}|s_{2}) \dots$$

Probability of Generating an Observation Sequence

- If only the observation is known, the precise state sequence followed to produce it is not known
- All possible state sequences must be considered

$$P(o_1, o_2, o_3, \dots) = \sum_{\substack{all.possible\\state.sequences}} P(o_1, o_2, o_3, \dots, s_1, s_2, s_3, \dots) =$$

$$\sum_{all.possible} P(o_1|s_1)P(o_2|s_2)P(o_3|s_3)...P(s_1)P(s_2|s_1)P(s_3|s_2)...$$

state.sequences

Computing it Efficiently

- Explicit summing over all state sequences is not efficient
 - A very large number of possible state sequences
 - For long observation sequences it may be intractable
- Fortunately, we have an efficient algorithm for this: The forward algorithm
- At each time, for each state compute the total probability of all state sequences that generate observations until that time and end at that state

Illustrative Example



- Consider a generic HMM with 5 states and a "terminating state". We wish to find the probability of the best state sequence for an observation sequence assuming it was generated by this HMM
 - $P(s_i) = 1$ for state 1 and 0 for others
 - The arrows represent transition for which the probability is not 0. $P(s_i | s_j) = a_{ij}$
 - We sometimes also represent the state output probability of s_i as $P(o_t | s_i) = b_i(t)$ for brevity

Diversion: The HMM Trellis



- The trellis is a graphical representation of all possible state sequences through the HMM to produce a given observation
 - Analogous to the DTW search graph / trellis
- The Y-axis represents HMM states, X axis represents observations
- Edges in trellis represent valid transitions in the HMM over a single time step
- Every node represents the event of a particular observation being generated from a particular state

The Forward Algorithm



• $\alpha_u(s,t)$ is the total probability of ALL state sequences that end at state *s* at time *t*, and all observations until x_t
The Forward Algorithm



• $\alpha_u(s,t)$ can be recursively computed in terms of $\alpha_u(s',t')$, the forward probabilities at time t-1



- In the final observation the alpha at each state gives the probability of all state sequences ending at that state
- The total probability of the observation is the sum of the alpha values at all states

Problem 2: The state segmentation problem

• Given only a sequence of observations, how do we determine which sequence of states was followed in producing it?

The HMM as a generator



• The process goes through a series of states and produces observations from them

States are Hidden



• The observations do not reveal the underlying state

The state segmentation problem



• State segmentation: Estimate state sequence given observations

Estimating the State Sequence

- Any number of state sequences could have been traversed in producing the observation
 - In the worst case *every* state sequence may have produced it
- Solution: Identify the most *probable* state sequence
 - The state sequence for which the probability of progressing through that sequence and gen erating the observation sequence is maximum
 - i.e $P(o_1, o_2, o_3, ..., s_1, s_2, s_3, ...)$ is maximum

Estimating the state sequence

- Once again, exhaustive evaluation is impossibly expensive
- But once again a simple dynamic-programming solution is available

 $P(o_1, o_2, o_3, \dots, s_1, s_2, s_3, \dots) =$

 $P(o_1|s_1)P(o_2|s_2)P(o_3|s_3)...P(s_1)P(s_2|s_1)P(s_3|s_2)...$

• Needed:

 $\arg\max_{s_1,s_2,s_3,\dots} P(o_1 \mid s_1) P(s_1) P(o_2 \mid s_2) P(s_2 \mid s_1) P(o_3 \mid s_3) P(s_3 \mid s_2)$

Estimating the state sequence

- Once again, exhaustive evaluation is impossibly expensive
- But once again a simple dynamic-programming solution is available

 $P(o_1, o_2, o_3, \dots, s_1, s_2, s_3, \dots) =$

 $P(o_1|s_1)P(o_2|s_2)P(o_3|s_3)...P(s_1)P(s_2|s_1)P(s_3|s_2)...$

• Needed: $\operatorname{arg\,max}_{s_1, s_2, s_3, \dots} P(o_1 \mid s_1) P(s_1) P(o_2 \mid s_2) P(s_2 \mid s_1) P(o_3 \mid s_3) P(s_3 \mid s_2)$

The state sequence

• The probability of a state sequence ?,?,?,s_x,s_y ending at time *t* is simply

 $- P(?,?,?,?, s_x, s_y) = P(?,?,?, s_x) P(o_t|s_y)P(s_y|s_x)$

- The *best* state sequence that ends with s_x, s_y at t will have a probability equal to the probability of the best state sequence ending at t-1 at s_x times $P(o_t|s_y)P(s_y|s_x)$
 - Since the last term is independent of the state sequence leading to s_x at *t*-1

Trellis

• The graph below shows the set of all possible state sequences through this HMM in five time intants



The cost of extending a state sequence

• The cost of extending a state sequence ending at s_x is only dependent on the transition from s_x to s_y , and the observation probability at s_y



The cost of extending a state sequence

• The best path to s_y through s_x is simply an extension of the best path to s_x



The Recursion

• The overall best path to *s_x* is an extension of the best path to one of the states at the previous time



The Recursion

• Bestpath prob(s_y ,t) = Best (Bestpath prob(s_p ,t) * P($s_y | s_p$) * P($o_t | s_y$))



Finding the best state sequence

- This gives us a simple recursive formulation to find the overall best state sequence:
- 1. The best state sequence $X_{1,i}$ of length 1 ending at state s_i is simply s_i .
 - The probability $C(X_{1,i})$ of $X_{1,i}$ is $P(o_1 | s_i) P(s_i)$
- 2. The best state sequence of length t+1 is simply given by
 - (argmax $_{X_{t,i}} C(X_{t,i}) P(o_{t+1} | s_j) P(s_j | s_i)) s_i$
- 3. The best overall state sequence for an utterance of length T is given by

argmax $_{X_{t,i} s_i} C(X_{T,i})$

- The state sequence of length T with the highest overall probability

Finding the best state sequence

- The simple algorithm just presented is called the VITERBI algorithm in the literature
 - After A.J.Viterbi, who invented this dynamic programming algorithm for a completely different purpose: decoding error correction codes!
- The Viterbi algorithm can also be viewed as a breadth-first graph search algorithm
 - The HMM forms the Y axis of a 2-D plane
 - Edge costs of this graph are transition probabilities P(s|s). Node costs are P(o|s)
 - A linear graph with every node at a time step forms the X axis
 - A trellis is a graph formed as the crossproduct of these two graphs
 - The Viterbi algorithm finds the best path through this graph



Initial state initialized with path-score = $P(s_1)b_1(1)$ \rightarrow time

All other states have score 0 since $P(s_i) = 0$ for them





State with best path-score

- State with path-score < best
- State without a valid path-score

$$P_{j}(t) = \max_{i} \left[P_{i}(t-1) a_{ij} b_{j}(t) \right]$$

State transition probability, *i* to *j*

Score for state j, given the input at time t

Total path-score ending up at state *j* at time *t*













THE BEST STATE SEQUENCE IS THE ESTIMATE OF THE STATE SEQUENCE FOLLOWED IN GENERATING THE OBSERVATION



Viterbi and DTW

- The Viterbi algorithm is identical to the stringmatching procedure used for DTW that we saw earlier
- It computes an estimate of the state sequence followed in producing the observation
- It also gives us the probability of the best state sequence

Problem3: Training HMM parameters

- We can compute the probability of an observation, and the best state sequence given an observation, using the HMM's parameters
- But where do the HMM parameters come from?
- They must be learned from a collection of observation sequences
- We have already seen one technique for training HMMs: The segmental K-means procedure

Modified segmental K-means AKA Viterbi training

- The entire segmental K-means algorithm:
 - 1. Initialize all parameters
 - State means and covariances
 - Transition probabilities
 - Initial state probabilities
 - 2. Segment all training sequences
 - 3. Reestimate parameters from segmented training sequences
 - 4. If not converged, return to 2

Segmental K-means



T1 T2 T3 T4

The procedure can be continued until convergence

Convergence is achieved when the total best-alignment error for all training sequences does not change significantly with further refinement of the model

66

A Better Technique

- The Segmental K-means technique uniquely assigns each observation to one state
- However, this is only an estimate and may be wrong
- A better approach is to take a "soft" decision
 - Assign each observation to *every* state with a probability

Training by segmentation: Hard Assignment



Training by segmentation: Soft Assignment







Assignment is *fractioned:* Every segment gets a piece of every vector

Means and variances are computed from fractioned vectors

Where do the fractions come from?

The "probability" of a state

- The probability assigned to any state *s*, for any observation *x_t* is the probability that the process was at *s* when it generated *x_t*
- We want to compute

 $P(state(t) = s | x_1, x_2, ..., x_T) \propto P(state(t) = s, x_1, x_2, ..., x_T)$

- We will compute $P(state(t) = s, x_1, x_2, ..., x_T)$ first
 - This is the probability that the process visited *s* at time *t* while producing the entire observation

Probability of Assigning an Observation to a State

• The probability that the HMM was in a particular state *s* when generating the observation sequence is the probability that it followed a state sequence that passed through *s* at time *t*



Probability of Assigning an Observation to a State

- This can be decomposed into two multiplicative sections
 - The section of the lattice leading into state *s* at time t and the section leading out of it


Probability of Assigning an Observation to a State

- The probability of the red section is the total probability of all state sequences ending at state *s* at time *t*
 - This is simply $\alpha(s,t)$
 - Can be computed using the forward algorithm





The forward algorithm



 λ represents the complete current set of HMM parameters

The Future Paths

- The blue portion represents the probability of all state sequences that began at state *s* at time *t*
 - Like the red portion it can be computed using a *backward recursion*



The Backward Recursion



β_u(s,t) is the total probability of ALL state sequences that depart from s at time t, and all observations after x_t
 β(s,T) = 1 at the final time instant for all valid final states

The complete probability



$$= P(\mathbf{X}_{u}, state(t) = s|\lambda)$$

Posterior probability of a state

• The probability that the process was in state *s* at time *t*, given that we have observed the data is obtained by simple normalization

$$P(state(t) = s | \mathbf{X}_{u}, \lambda) = \frac{P(\mathbf{X}_{u}, state(t) = s | \lambda)}{\sum_{s'} P(\mathbf{X}_{u}, state(t) = s' | \lambda)} = \frac{\alpha_{u}(s, t)\beta_{u}(s, t)}{\sum_{s'} \alpha_{u}(s', t)\beta_{u}(s', t)}$$

• This term is often referred to as the gamma term and denoted by $\gamma_{s,t}$

Update Rules

- Once we have the state probabilities (the gammas) the update rules are obtained through a simple modification of the formulae used for segmental K-means
 - This new learning algorithm is known as the Baum-Welch learning procedure
- Case1: State output densities are Gaussians

Update Rules

$$\mu_{s} = \frac{1}{N_{s}} \sum_{x \in s} x$$

$$\mu_{s} = \frac{\sum_{u} \sum_{t} \gamma_{u,s,t} x_{u,t}}{\sum_{u} \sum_{t} \gamma_{u,s,t}}$$

$$C_{s} = \frac{1}{N_{s}} \sum_{x \in s} (x - \mu_{s})^{T} (x - \mu_{s})$$

$$C_{s} = \frac{\sum_{u} \sum_{t} \gamma_{u,s,t} (x - \mu_{s})^{T} (x - \mu_{s})}{\sum_{u} \sum_{t} \gamma_{s,u,t}}$$

Segmental K-means

Baum Welch

- A similar update formula reestimates transition probabilities
- The *initial* state probabilities P(s) also have a similar update rule

Case 2: State ouput densities are Gaussian Mixtures

• When state output densities are Gaussian *mixtures*, more parameters must be estimated

$$P(x \mid s) = \sum_{i=0}^{K-1} w_{s,i} Gaussian(x; \mu_{s,i}, C_{s,i})$$

• The mixture weights $w_{s,i}$, mean $\mu_{s,i}$ and covariance $C_{s,i}$ of every Gaussian in the distribution of each state must be estimated

Splitting the Gamma

We split the gamma for any state among all the Gaussians at that state



A posteriori probability that the tth vector was generated by the kth Gaussian of state s

$$\gamma_{k,s,u,t} = P(state(t) = s | \mathbf{X}_{u}, \lambda) P(k^{th}.Gaussian|state(t) = s, x_{u,t}, \lambda)$$

Splitting the Gamma among Gaussians

A posteriori probability that the tth vector was generated by the kth Gaussian of state s

$$\gamma_{k,s,u,t} = P(state(t) = s | \mathbf{X}_{u}, \lambda) P(k^{th}.Gaussian|state(t) = s, x_{u,t}, \lambda)$$

$$\gamma_{k,s,u,t} = P(state(t) = s | \mathbf{X}_{u}, \lambda) \frac{w_{k,s} \frac{1}{\sqrt{(2\pi)^{d} |\mathbf{C}_{k}|}} e^{-\frac{1}{2} \left(\mathbf{X}_{u,t} - \mu_{k,s} \right)^{T} \mathbf{C}_{k}^{-1} \left(\mathbf{X}_{u,t} - \mu_{k,s} \right)}{\sum_{k'} w_{k',s} \frac{1}{\sqrt{(2\pi)^{d} |\mathbf{C}_{k',s}|}} e^{-\frac{1}{2} \left(\mathbf{X}_{u,t} - \mu_{k',s} \right)^{T} \mathbf{C}_{k}^{-1} \left(\mathbf{X}_{u,t} - \mu_{k',s} \right)}}$$

Updating HMM Parameters



• Note: Every observation contributes to the update of parameter values of every Gaussian of every state

Overall Training Procedure: Single Gaussian PDF

- Determine a topology for the HMM
- Initialize all HMM parameters
 - Initialize all allowed transitions to have the same probability
 - Initialize all state output densities to be Gaussians
 - We'll revisit initialization
- 1. Over all utterances, compute the "sufficient" statistics $\sum_{u} \sum_{t} \gamma_{u,s,t} \sum_{u} \sum_{t} \gamma_{u,s,t} x_{u,t} \sum_{u} \sum_{t} \gamma_{u,s,t} (x - \mu_s)^T (x - \mu_s)$
- 2. Use update formulae to compute new HMM parameters
- 3. If the overall probability of the training data has not converged, return to step 1

An Implementational Detail

• Step1 computes "buffers" over all utterance

$$\sum_{u} \sum_{t} \gamma_{u,s,t} = \sum_{u \in U_1} \sum_{t} \gamma_{u,s,t} + \sum_{u \in U_2} \sum_{t} \gamma_{u,s,t} + \dots$$

$$\sum_{u} \sum_{t} \gamma_{u,s,t} x_{u,t} = \sum_{u \in U_1} \sum_{t} \gamma_{u,s,t} x_{u,t} + \sum_{u \in U_2} \sum_{t} \gamma_{u,s,t} x_{u,t} + \dots$$

$$\sum_{u} \sum_{t} \gamma_{u,s,t} (x - \mu_s)^T (x - \mu_s) = \sum_{u \in U_1} \sum_{t} \gamma_{u,s,t} (x - \mu_s)^T (x - \mu_s) + \sum_{u \in U_2} \sum_{t} \gamma_{u,s,t} (x - \mu_s)^T (x - \mu_s) + \dots$$

- This can be split and parallelized
 - U₁, U₂ etc. can be processed on separate machines



Machine 2

$$\sum_{u \in U_2} \sum_{t} \gamma_{u,s,t} \sum_{u \in U_2} \sum_{t} \gamma_{u,s,t} x_{u,t}$$

$$\sum_{u \in U_2} \sum_{t} \gamma_{u,s,t} (x - \mu_s)^T (x - \mu_s)$$

An Implementational Detail

• Step2 *aggregates and adds* buffers before updating the models

$$\sum_{u}\sum_{t}\gamma_{u,s,t} = \sum_{u\in U_{1}}\sum_{t}\gamma_{u,s,t} + \sum_{u\in U_{2}}\sum_{t}\gamma_{u,s,t} + \dots$$

$$\sum_{u}\sum_{t}\gamma_{u,s,t}x_{u,t} = \sum_{u\in U_{1}}\sum_{t}\gamma_{u,s,t}x_{u,t} + \sum_{u\in U_{2}}\sum_{t}\gamma_{u,s,t}x_{u,t} + \dots$$

$$\sum_{u}\sum_{t}\gamma_{u,s,t}(x-\mu_{s})^{T}(x-\mu_{s}) = \sum_{u\in U_{1}}\sum_{t}\gamma_{u,s,t}(x-\mu_{s})^{T}(x-\mu_{s}) + \sum_{u\in U_{2}}\sum_{t}\gamma_{u,s,t}(x-\mu_{s})^{T}(x-\mu_{s}) + \dots$$

$$\widetilde{\mu}_{k,s} = \frac{\sum_{u}\sum_{t}\gamma_{k,s,u,t}x_{u,t}}{\sum_{u}\sum_{t}\gamma_{k,s,u,t}} \qquad \widetilde{\mathbf{C}}_{k,s} = \frac{\sum_{u}\sum_{t}\gamma_{k,s,u,t}(x_{u,t}-\widetilde{\mu}_{k,s})(x_{u,t}-\widetilde{\mu}_{k,s})^{T}}{\sum_{u}\sum_{t}\gamma_{k,s,u,t}}$$

$$\widetilde{W}_{k,s} = \frac{\sum_{u} \sum_{t} \gamma_{k,s,u,t}}{\sum_{u} \sum_{t} \sum_{j} \gamma_{j,s,u,t}}$$

An Implementational Detail

• Step2 *aggregates and adds* buffers before updating the models

Training for HMMs with *Gaussian Mixture* State Output Distributions

- Gaussian *Mixtures* are obtained by splitting
- 1. Train an HMM with (single) Gaussian state output distributions
- 2. Split the Gaussian with the largest variance
 - Perturb the mean by adding and subtracting a small number
 - This gives us 2 Gaussians. Partition the mixture weight of the Gaussian into two halves, one for each Gaussian
 - A mixture with N Gaussians now becomes a mixture of N+1 Gaussians
- 3. Iterate BW to convergence
- 4. If the desired number of Gaussians not obtained, return to 2

Splitting a Gaussian



• The mixture weight *w* for the Gaussian gets shared as 0.5*w* by each of the two split Gaussians

Transition Probabilities



• We have seen how to compute transition penalties for templates



- How about transition probabilities in an HMM?
 - "Hard" estimation by counting, as for templates
 - "Soft" estimation need soft counts

Transition penalties by counting



- 20 vectors in state 1
 - 16 are followed by vectors in state 1
 - 4 are followed by vectors in state 2

•
$$P_{11} = 16/20 = 0.8 \rightarrow T_{11} = -\log(P_{11}) = -\log(0.8)$$

•
$$P_{12} = 4/20 = 0.2 \rightarrow T_{12} = -\log(P_{12}) = -\log(0.2)$$



We found the best state sequence for each input

 And counted transitions



We found the best state sequence for each input
 And counted transitions



- P(transition state $I \rightarrow$ state J =
 - Count transitions(I,J) / count instances(I)



- P(transition state I \rightarrow state J =
 - Count transitions(I,J) / count instances(I)
 - Count instances(1) = 20



- P(transition state I \rightarrow state J =
 - Count transitions(I,J) / count instances(I)
 - Count instances(1) = 20
 - Count transitions (1,1) = 16
 - P (transition state $1 \rightarrow$ state 1) = 0.8



- P(transition state I \rightarrow state J =
 - Count transitions(I,J) / count instances(I)
 - Count instances(1) = 20
 - Count transitions (1,2) = 4
 - P (transition state $1 \rightarrow$ state 2) = 0.2



- Each observation pair contributes to every transition
 - E.g. observations 6,7 contribute counts to all of the following:
 - Transition $(1 \rightarrow 1)$, Transition $(1 \rightarrow 2)$, Transition $(2 \rightarrow 2)$, Transition $(2 \rightarrow 3)$, Transition $(3 \rightarrow 3)$



- Contribution of any transition to the count is the *a posteriori* probability of the count
 - This is a fraction
 - The fractions for all possible transitions at any time sum to 1



• Probability of a transition is the total probability of all paths that include the transition



The forward probability of the source state at *t* accounts for all incoming paths at time *t – including the t-th observation x_t*



- The *backward* probability of the *destination* state at *t*+1 accounts for all *outgoing* paths from the state at time *t*+1
 - **NOT including** the t+1-th observation x_{t+1}



- The product of the forward probability of *s* at *t* and *s* at *t*+1 accounts for all paths TO state *s* at *t*, and all paths FROM *s* at *t*+1
 - But not the *transition* from *s* to *s*' or the observation at t+1



• By factoring in the transition probability and observation probabilities, the total *probability* is obtained

From probability to *a posteriori* probability



• The *a posteriori* probability of a transition is the ratio of its probability to the sum of all transitions at the same time

A posteriori probability of a transition

• Probability of a transition

 $P(state(t) = s, state(t+1) = s', x_1, x_2, \dots, x_N) = \alpha_u(s, t)P(s'|s)P(x_t+1|s')\beta_u(s', t+1)$

• A posteriori probability of a transition

$$\gamma_{u,s,t,s',t+1} = \frac{P(state(t) = s, state(t+1) = s', x_1, x_2, \dots, x_N)}{\sum_{s,s'} P(state(t) = s, state(t+1) = s', x_1, x_2, \dots, x_N)}$$

Estimate of Transition Probabilities



- Numberator is total "soft" count of transitions from state *s* to *s* '
- Denumberator is total "soft" count of instances of state *s*
Implementation of BW: underflow

• Arithmetic underflow is a problem

$$\alpha_{u}(s,t) = \sum_{s'} \alpha_{u}(s',t-1)P(s|s')P(x_{u,t}|s)$$
probability term probability terms

- The alpha terms are a recursive product of probability terms
 - As t increases, an increasingly greater number probability terms are factored into the alpha
- All probability terms are less than 1
 - State output probabilities are actually probability densities
 - Probability density values *can* be greater than 1
 - On the other hand, for large dimensional data, probability density values are usually *much* less than 1
- With increasing time, alpha values decrease
- Within a few time instants, they underflow to 0
 - Every alpha goes to 0 at some time t. All future alphas remain 0
 - As the dimensionality of the data increases, alphas goes to 0 faster

Underflow: Solution

- One method of avoiding underflow is to scale all alphas at each time instant
 - Scale with respect to the largest alpha to make sure the largest scaled alpha is 1.0
 - Scale with respect to the sum of the alphas to ensure that all alphas sum to 1.0
 - Scaling constants must be appropriately considered when computing the final probabilities of an observation sequence
- An alternate method: Compute alphas and betas in log domain
 - How? (Not obvious)

Implementation of BW: underflow

• Similarly, arithmetic underflow can occur during beta computation

$$\beta_{u}(s,t) = \sum_{s'} \beta_{u}(s',t+1) \log P(s'|s) P(x_{u,t+1}|s')$$

- The beta terms are also a recursive product of probability terms and can underflow
- Underflow can be prevented by
 - Scaling: Divide all beta terms by a constant that prevents underflow
 - By performing beta computation in the log domain (now? Not obvious..)
- QUESTION: HOW DOES SCALING AFFECT THE ESTIMATION OF GAMMA TERMS
 - For Gaussian parameter updates?
 - For transition probability updates?

Implementation of BW: pruning



- The forward backward computation can get very expensive
- Solution: Prune
- Pruning in the forward backward algorithm raises some additional issues
 - Pruning from forward pass can be employed by backward pass
 - Convergence criteria and tests may be affected
 - More later

Building a recognizer for isolated words

- Now have all necessary components to build an HMM-based recognizer for isolated words
 - Where each word is spoken by itself in isolation
 - E.g. a simple application, where one may either say "Yes" or "No" to a recognizer and it must recognize what was said

Isolated Word Recognition with HMMs

- Assuming all words are equally likely
- Training
 - Collect a set of "training" recordings for each word
 - Compute feature vector sequences for the words
 - Train HMMs for each word
- Recognition:
 - Compute feature vector sequence for test utterance
 - Compute the forward probability of the feature vector sequence from the HMM for each word
 - Alternately compute the best state sequence probability using Viterbi
 - Select the word for which this value is highest

Issues

- What is the topology to use for the HMMs
 - How many states
 - What kind of transition structure
 - If state output densities have Gaussian Mixtures: how many Gaussians?

HMM Topology

- For speech a left-to-right topology works best
 - The "Bakis" topology
 - Note that the initial state probability P(s) is 1 for the 1st state and 0 for others. This need not be *learned*



• States may be skipped



Determining the Number of States

- How do we know the number of states to use for any word?
 - We do not, really
 - Ideally there should be at least one state for each "basic sound" within the word
 - Otherwise widely differing sounds may be collapsed into one state
 - The average feature vector for that state would be a poor representation
- For computational efficiency, the number of states should be small
 - These two are conflicting requirements, usually solved by making some educated guesses

Determining the Number of States

• For small vocabularies, it is possible to examine each word in detail and arrive at reasonable numbers:



- For larger vocabularies, we may be forced to rely on some *ad hoc* principles
 - *E.g.* proportional to the number of letters in the word
 - Works better for some languages than others
 - Spanish and Indian languages are good examples where this works as almost every letter in a word produces a sound

How many Gaussians

- No clear answer for this either
- The number of Gaussians is usually a function of the amount of training data available
 - Often set by trial and error
 - A minimum of 4 Gaussians is usually required for reasonable recognition

Implementation of BW: initialization of alphas and betas

- Initialization for alpha: α_u(s,1) set to 0 for all states except the first state of the model. α_u(s,1) set to 1 for the first state
 - All observations *must* begin at the first state
- Initialization for beta: $\beta_u(s, T)$ set to 0 for all states except the terminating state. $\beta_u(s, t)$ set to 1 for this state
 - All observations *must* terminate at the final state

Initializing State Output Density Parameters

- 1. Initially only a single Gaussian per state assumed
 - Mixtures obtained by splitting Gaussians
- 2. For Bakis-topology HMMs, a good initialization is the "flat" initialization
 - Compute the *global* mean and variance of all feature vectors in all training instances of the word
 - Initialize *all Gaussians* (i.e all state output distributions) with this mean and variance
 - Their means and variances will converge to appropriate values automatically with iteration
 - Gaussian splitting to compute Gaussian mixtures takes care of the rest

Isolated word recognition: Final thoughts

- All relevant topics covered
 - How to compute features from recordings of the words
 - We will not explicitly refer to feature computation in future lectures
 - How to set HMM topologies for the words
 - How to train HMMs for the words
 - Baum-Welch algorithm
 - How to select the most probable HMM for a test instance
 - Computing probabilities using the forward algorithm
 - Computing probabilities using the Viterbi algorithm
 - Which also gives the state segmentation



